


Genetic map of Rf marker (Fig.1)



**BEST AVAILABLE COPY**

Fig. 2

1bp: SmaI  
8553bp: HpaI  
SEQ ID NO.1: 8553bp

a site  
b site  
c site

CHI lambda clone fragment:  
about 17kb

Cloning fragment of CHI/pBGRZ2

Cloning fragment of cds6BT/pKM424

BamHI

Region which was presumed  
to be integrated into  
transformed rapeseed

Fig. 3






Fig. 4



BEST AVAILABLE COPY


**Fig. 5**




```

pSTV125-5' #LA12.nuc      1:GGATCCCAATTTCATTCTGCATCACTCTCCCTGTCGTTATGCGACCTCGCAAGGTTTTTG 60
pSTV125-5' #LA6.nuc      1:GGATCCCAATTTCATTCTGCATCACTCTCCCTGTCGTTATGCGACCTCG-CAAGGTTTTTG 59
                          ***** * *****
pSTV125-5' #LA12.nuc      61:AAACGGCCGAAACGGGAAGTGACAATACCGCTTTTCTTGAGCATATAAATCATGATTAC- 119
pSTV125-5' #LA6.nuc      60:AAACGGCCGAAACGGGAAGTGACAATACCGCTTTTCTTCAGCATATAAATGCATGATTAC 119
                          ***** * *****
pSTV125-5' #LA12.nuc      120:CTTTTTTCGAAAAAATTGTCCACTTTTTTGTCAATAATCCTCACTTCCTACTGAATGTAAAGT 179
pSTV125-5' #LA6.nuc      120:CTTTT-TCGAAAAAATTGTCCACTTTTGTGCATAATCTCACTCCTACTGAAATTAA-A-GT 176
                          *****
                          **** * * **
pSTV125-5' #LA12.nuc      180:TAGTGAATTC
pSTV125-5' #LA6.nuc      177:TAGTGAATTC
                          *****

```




**Figure. 7**



**Rf Radish**  
**SW18**  
**Westar**  
**#32**

↑  
— 2.0 kbp

Figure. 8



**SW18**

**Westar**

**#32**

↑  
**17 kDa**

**Figure. 9**






Figure. 10

#32 T2 lines




Figure 11

BEST AVAILABLE COPY